#### WORLD INTELLECTUAL PROPERTY ORGANIZATION International Bureau



## INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification 5:

A1

(11) International Publication Number:

WO 91/15750

G01N 15/14, 15/02, B07C 5/342

(43) International Publication Date:

17 October 1991 (17.10.91)

(21) International Application Number:

PCT/GB91/00542

(22) International Filing Date:

8 April 1991 (08.04.91)

(30) Priority data: 9008044.1

9 April 1990 (09.04.90) GB

(71) Applicant (for all designated States except US): CARRI-MED LTD. [GB/GB]; Carri-Med House, Glebelands Centre, Vincent Lane, Dorking, Surrey RH4 3YX (GB).

(72) Inventors; and

(75) Inventors/Applicants (for US only): KAYE, Paul, Henry [GB/GB]; TRACEY, Mark, Christopher [GB/GB]; Hatfield Polytechnic, College Lane, Hatfield, Herts. AL10 9AB (GB).


(74) Agent: MAURY, Richard, Philip; Sommerville & Rushton, 11 Holywell Hill, St. Albans, Herts. AL1 1EZ (GB).

(81) Designated States: AT (European patent), BE (European patent), CH (European patent), DE (European patent), DK (European patent), ES (European patent), FR (European patent), ES (EUROPEAN EUROPEAN EUR ropean patent), GB, GB (European patent), GR (European patent), IT (European patent), JP, LU (European patent), NL (European patent), SE (European patent),

Published

With international search report.

(54) Title: MICROFABRICATED DEVICE FOR BIOLOGICAL CELL SORTING



(57) Abstract

Apparatus for sorting cells into spatially separate sub-groups, comprising a microfabricated moveable structure (4, 5, 6) for directing cells between distinct spatial locations.

## FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

4.77					
AT	Austria	ES	Spain	MG	Madagascar
ΑÜ	Australia	FI	Finland	ML	Mali
BB	Barbados	FR	France	MN	Mongolia
BE	Belgium	GA	Gabon	MR	Mauritania
BF	Burkina Faso	GB	United Kingdom	MW	Malawi
BG	Bulgaria	GN	Guinea	NL.	Netherlands
BJ	Benin	GR	Greece	NO	Norway
BR	Brazil	HU	Hungary	PL	Poland
CA	Canada	n	Italy	RO	Romania
CF	Central African Republic	JP	Japan	SD	Sudan
CG	Congo	KP	Democratic People's Republic	SE	Sweden
CH	Switzerland		of Korea	SN	Senegal
CI	Côte d'Ivoire	KR	Republic of Korea	SU	Soviet Union
CM	Cameroon	LI	Liechtenstein	TD	Chad
cs	Czechoslovakia	LK	Sri Lanka	TC	Того
DE	Germany	LU	Luxembourg	US	United States of America
DK	Denmark	MC	Monaco	0.3	Officer States of America

#### Microfabricated Device for Biological Cell Sorting

This invention relates to the sorting of biological cells into spatially separate sub groups. The criteria for sorting may be applied to measurements obtained by any technique or techniques suitable for microfabricated or electronic implementation on a substrate.

5

Microfabrication and microelectronic techniques offer a number of actual and potential measurement techniques that may be applied to characterize biological cells.

Examples of these are microrheological measurements as disclosed in International Patent Application No.

PCT/GB91/00289 and morphological measurements. When suitably implemented such techniques can be applied on a cell by cell basis.

When characterizing a population of cells it can be of interest to workers to be able to isolate a sub

20 population whose measured parameters lie within certain bounds. This could enable, for example, the culturing of a cell line from sorted cells possessing a certain property or properties of interest.

25 We have discovered that recent developments in

2

microfabrication, namely the development of controlled, deflectable, microbeams capable of deflections in the order of a few micrometres, may be used to provide the component parts of microfabricated cell sorters.

Relevant microelectromechanical structures, and their formation by selective CVD techniques, are disclosed in:

"Selective Chemical Vapor Deposition of Tungsten for Microelectromechanical Structures" by N.C. MACDONALD et al., Sensors and Actuators, 20 (1989) 123-133. The

so-called "microtweezers" are activated by control

voltages applied to electrodes.

According to the current invention such a machine is implemented by utilising a microfabricated moveable structure, preferably microfabricated beams, to direct cells between distinct spatial locations.

A particular implementation of the invention is shown in the drawing, which is a topological plan view of a substrate on which a cell sorter is formed. In this example the cells to be sorted, whose diameters may be only a few micrometres, are fed sequentially from an entry port 1, via a guiding structure 2, past a generalised sensing device or zone 3. Depending upon the result of the measurement and its interpretation the deflectable beams 4, 5, 6, are set into appropriate states to direct the cell into a particular destination,

for example, a hole 7, 8, 9 or 10 etched through the substrate. In the example shown the destination is structure 9. The beams, along with associated bifurcations can be extended to a tree structure of 'n' levels thereby yielding 2<sup>n</sup> possible sorting sub ranges.

The absolute lengths of the channels are as short as possible while maintaining compatibility with interconnecting structures. The shafts 1, 3, 7-10 may be fabricated by selective etching as disclosed in the copending International Patent Application referred to above; the etched substrate is closed by a glass/silica cover, thereby forming the channels as tunnels.

- Typical dimensions of the entry port 1 are 500μm or less square; of the sensing zone about 100 μm square; of the channels about 5 to 10μm in width and depth; of the holes (shafts) 7 10 about 500 μm or less square; and of the beams, which are typically of constant rectangular section, about 150μm long by 3μm square.
  The overall dimensions of the device could be 1cm square.
- The beams are activated by selective control voltages applied as signals for control circuitry (not shown)

  operated, for example, under the control of a microprocessor or other computer. The computer is

Δ

programmed to control the beams' deflection in response to the desired cell-sorting procedural steps.

Þ


5

Claims:

structure.

1. Apparatus for sorting cells into spatially separate sub-groups, comprising a microfabricated moveable structure (4, 5, 6) for directing cells between distinct spatial locations.

 Method for sorting cells into spatially separate sub-groups, comprising directing the cells into distinct
 spatial locations using a microfabricated moveable 1/1.



international Application No

	ATION OF SUBJECT MATTER (if several classification	<u></u> - ' - '	
According to it	nternational Patent Classification (IPC) or to both National		
Int.Cl.	. E G01N15/14 : G01N15/0	92 : B0,7C5/342	•
II. FIELDS SE	ARCHEI)		
	Minimum Docus	mentation Searched	
Classification	System	Classification Symbol	····
Int.Cl.	: 5 GO1N ; BO7C ;	B01_	
11.0.0.	5070 ;	0012	
	Documentation Searched other to the Extent that such Document	er than Minimum Documentation s are included in the Fields Searched?	
III. DOCUME:	NTS CONSIDERED TO BE RELEVANT		<del></del>
Category c	Citation of Document, 11 with indication, where approp	riate, of the resevant passage: 12	Relevant to Claim No. 1
A	US.A.4 676 274 (JAMES F BROWN see column 9, line 22 - line see column 12, line 7 - line	5ć	1.2
A	REVIEW OF SCIENTIFIC INSTRUME vol. 51, no. 1, January 1980, pages 111 - 115; P LENZ: 'Mechanical cell sepa see page 111 - page 113	NEW YORK US	1,2
A	PROCEEDINGS OF THE IEEE.  vol. 70, no. 5, May 1982, NEW pages 420 - 457; K E PETERSEN: 'Silicon as a m  see page 434 - page 435 see page 442 - page 443		1,2
	see page 446 - page 449		•
İ	p-g		
		-/	
"A" docume conside "E" entire conside "L" docume which is citation "O" docume other m "P" docume	nt which may threw doebts on priority claim(s) or s cited to establish the publication date of another or other special reason (as specified) not referring to an oral disclosure, use, exhibition or	"I" later document published after the in or priority date and not in conflict will call to understand the principle or to invention."  "X" document of particular relevance, the cannot be considered novel or cannot involve an inventive step.  "Y" document of particular relevance, the cannot be considered to involve an indexense of particular relevance, the cannot be considered to involve an indexense is combined with one or means, such combination being obvious the art.  "&" document member of the same parent.	th the application but heavy underlying the claimed invention be considered to claimed invention vocative step when the pre-other such documents to a person skilled
IV. CERTIFICA	ATION		
Date of the Acta	nal Completion of the International Search	Date of Mailing of this International	Search Report
	12 JULY 1991	3 0, 17 91	,
International Sec	arching Authority	Signature of Authorized Officer	<del>-11-11-1</del>
	EUROPEAN PATENT OFFICE	HOOSON C.M.T.	
PCTEARNA			

III DOCUME	International Application No  LENTS CONSIDERED TO BE RELEVANT (CONTINUED FROM THE SECOND SHEET)						
Category °							
Category	Chanton of Document, with indication, where appropriate, of the relevant passages	Relevant to Claim No.					
4	EP,A,177 718 (PARTEC AG) April 16, 1986						
		ì					
		İ					
		İ					
		1					
	•						
		·					
	•	ļ					
	•						
ì		1					
		į					
ł							
		1					
PCT/IRAIS	0 (extra short) (Junuary 1915)						

# ANNEX TO THE INTERNATIONAL SEARCH REPORT ON INTERNATIONAL PATENT APPLICATION NO.

GB9100542 SA 46699

This annex lists the patent family members relating to the patent documents cited in the above-mentioned international search report.

The members are as contained in the European Patent Office EDP file on

The European Patent Office is in no way liable for these particulars which are merely given for the purpose of information.

12/6

12/07/91

Patent document cited in search report	Publication date	Patent family member(s)		Publicatio date	
US-A-4676274	30-06-87	EP-A-	0293519	07-12-88	
EP-A-177718	16-04-86	CA-A- JP-A- US-A-	1256825 61137062 4756427	04-07-89 24-06-86 12-07-88	
	•				
				•	
		•			
details about this assuex : see Offic			,	•	

